PROGRAMME



FOR WHEAT & BARLEY CROPS



Leaf emergence (2-3 leaf)		Tillering	Start of stem extension GS30	Flag leaf emergence	Ear wash	Flowering
Millelta		Millelta	Milletta	Milletta	Millelta	
1-4-All or XSTress		1-4-All or XSiress	1-4-All or XS17833	1-4-All or XStress	1-4-All or XS176 98	
						Calflux
Militar		The	Tiplo p	The	Tiplop	Mplop
Enhanced rooting		Increased number of tillers	Reduced apical growth, shorter internode length, better stem strength	Larger, greener flag leaf. Greater grain fill	Increased green leaf, greener awns, greater grain filling	Increased number of grain, fewer blind grains
NIIIdia(a NIIIdia(k	NHDeltaCa or NHDeltaK @ 5L/Ha. A full spray programme must be used to optimise plant growth, improved rooting, more tillers, stronger stems and greater grain size. Optional 'ear wash' spray to further enhance yield if growing conditions are good.					
1-4-AI	2 L/Ha. Micro-element source for removing any blocks to maximum growth.					
XStress	2 L/Ha. Can be used instead of I-4-All to reduce the effect of any late season stress ensuring maximum grain fill.					
Calflux	I-2 L/Ha. For improvement in flowering (particularly barley) leading to more grains.					
The	For enhanced growth, increasing both yield and quality. Use as necessary between 2.0 - 3.0 l/ha.					

Use **TipTop** @ **5.0 I/ha** as an alternative to **NHDelta** + **XStress** if plant stress is not an issue. For more information contact your local distributor.